



# TRUCK BODIES

— EXPECT THE BEST —

## RUGGED CONSTRUCTION

**SUPERIOR DESIGN IN  
TRUCK BODY FABRICATION**



**NTEA**  
THE ASSOCIATION FOR THE WORK TRUCK INDUSTRY





# TRUCK BODIES

— EXPECT THE BEST —

## PB9600

## STANDARD PLATFORM/ STAKE BODIES



### SHOWN EQUIPPED WITH

- 16' Body with Steel Floor
- Window in Bulkhead
- Stake Racks
- 2" Hitch Receiver
- ICC Bar
- Trailer Connector

**For your everyday hauling application**

## INSTALL OPTIONS:

- Rear Hitch Plate or Hitch Receiver
- Underbody Toolboxes
- Dump Hoist - Electric or PTO
- Backup Alarm
- Brake Controller
- Trailer Connector
- Load Tarps - Manual or 12V
- ICC Bars
- Lift Gates





# PB9600 Standard Platform / Stake Bodies

## Standard Specifications & Options

- 42" or 48" high weld-on bulkhead with screened window. Also available in 54" or 60" high
- 3/4" LED marker and clearance light kit meets [FMVSS108]. Includes wiring harness.
- Primed and painted black, [other colors available]
- Structural channel long sills  
8'6" - 14'6" • 6" x 8.2 lb. channel  
16'6" - 20'6" • 7" x 9.8 lb. channel  
22'6" - 26'6" • 8" x 11.5 lb channel
- 3" Structural cross members 12" o.c.
- 4" Formed 3/16" channel rear rail with inset stake pockets
- 10 ga. smooth steel or shiplapped KDAT pine floor
- 10 ga. formed side rails
- 3/16" heavy-duty exterior stake pockets with 3/8" x 2" rub rail on sides
- Standard overall width 96" [optional 102" wide]



**STANDARD OVERALL LENGTH AND APPROXIMATE WEIGHT IN POUNDS\***

Length	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Steel Floor Weight	1161	1266	1370	1575	1782	2039	2252	2464	2751	2972	3192
Wood Floor Weight	1116	1212	1307	1496	1687	1927	2124	2319	2590	2794	2998

\*Length includes 3" bulkhead and rear stake pockets

### OPTIONS:

- Floor: apitong hardwood, tread plate, or anti-slip floor paint
- Full rear 10" drop light apron — Includes oval stop/tail, turn, reverse, and license plate lights with wiring harness
- Cab shield [standard sizes — 18", 36", & 48"]
- ICC bumpers
- Custom sizes and configurations available
- Triple window in bulkhead

### STAKE RACKS

- 42" high 4 slat racks
- Constructed with 11 ga. reinforced hat stakes and 16 ga. roll formed slats
- Spring-loaded latch system on stakes assures secure attachment to body
- Optional rear swing out racks with bolt-on rear post
- Rack weight per 4' section 4 slat — 42" high, 49 lbs.



*Shown with optional rear swing racks and full 10" light apron*



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

**610.273.0157**



# TRUCK BODIES

— EXPECT THE BEST —

## PB9600SD

## SUPER DUTY PLATFORM/ STAKE BODIES

For your heaviest  
hauling applications



**SHOWN  
EQUIPPED WITH:**

- 24' Body
- ICC Bar
- Backup Alarm
- Twin Telescopic Underbody Hoist

## INSTALL OPTIONS:

- Rear Hitch Plate or Hitch Receiver
- Underbody Toolboxes
- Dump Hoist - Electric or PTO
- Backup Alarm
- Brake Controller
- Trailer Connector
- Load Tarps - Manual or 12V
- ICC Bars
- Lift Gates





# PB9600SD Super Duty Platform / Stake Bodies

## Standard Specifications & Options

- 48" high weld-on bulkhead with screened window. Also available in 54", and 60" high
- 3/4" LED Marker and clearance light kit meets (FMVSS108) Includes wiring harness
- Primed and painted black (other colors available)
- Structural channel long sills  
12'6" - 18'6" • 7" x 9.8 lb. channel  
20'6" - 26'6" • 8" x 11.5 lb. channel
- 4" Structural channel cross members 12" o.c.
- 6" Structural channel rear and side rails
- 7 ga. smooth steel floor
- 3/16" heavy-duty exterior stake pockets with 3/8" x 3" rub rail on sides and rear
- Standard overall width 96" (optional 102" wide)



STANDARD OVERALL LENGTH AND APPROXIMATE WEIGHT IN POUNDS*								
Length	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Weight with steel floor	2262	2556	2844	3134	3510	3797	4095	4395
Weight with wood floor	1971	2210	2447	2684	2994	3241	3484	3733

\*Length includes 3" bulkhead and rear stake pockets with rub rail

### OPTIONS:

- Floor: Shiplapped pine, apitong hardwood, tread plate, or anti-slip floor paint
- Full rear 10" drop light apron – Includes oval stop/tail, turn, reverse, and license plate lights with wiring harness
- Cab shield (standard sizes 18", 36", & 48")
- ICC bumpers
- Custom sizes and configurations available
- Triple window in bulkhead

### STAKE RACKS

- 42" high 4 slat racks
- Constructed with 11 ga. reinforced hat stakes and 16 ga. roll formed slats
- Spring-loaded latch system on stakes assures secure attachment to body
- Optional rear swing out racks with bolt-on rear post
- Rack weight per 4' section 4 slat – 42" high, 49 lbs.



*Shown with optional rear swing racks and full 10" light apron*



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

610.273.0157



# TRUCK BODIES

— EXPECT THE BEST —

## CPB8400

## CONTRACTOR/PLATFORM BODIES

Replacement Beds  
for the Light to  
Medium Duty  
Pickup Trucks



### SHOWN EQUIPPED WITH

- 7' Body
- Single Wheel Width
- Gooseneck Access Panel
- Contractor Deluxe Package
- Optional Stainless Steel Toolbox Lids

### OPTIONS:



- Underbody Toolboxes with Mounting Brackets
- 5½" Liftout Sides and Rear
- Flush Mount Access Panel for Gooseneck Hitch
- Integrated Gooseneck Hitch. Only Available with Cab Chassis Option

- Raptor Bed Liner on Floor
- Smooth Steel Floor
- ½" or ¾" Thick Floor in Lieu of 12 Ga.
- Ladder Rack, Bolt-On or Weld-on
- Square Rear Corners

Custom sizes and configurations available





# CPB8400 Contractor/Platform Bodies

3 Standard Packages to Choose From

Box Delete Standard or [Cab Chassis Option] Available in All 3 Packages

## Platform Only Package

### Standard Specifications

- ½" x 3" Flat long sills, box delete
- 4" Structural channel long sills (on cab chassis option)
- 3" Formed channel 12 ga. cross members 12" o.c.
- 12 Ga. diamond plate floor with formed side rails
- ¾" Exterior stake pockets with ¼" x 2" tie rail on both sides
- Fuel fill cutout in driver's side side rail
- Tapered rear corners for a nice streamlined appearance, and trailer clearance for gooseneck towing
- 41" High tapered bulkhead with screen window and center top cutout for cab rear stop light
- LED light kit includes: 6" oval S/T/T and reverse light in rear apron and bulkhead, ¾" rear and side marker and clearance lights, license plate light, and wiring harness. Meets (FMVSS108)



- Primed and painted black (other colors available)
- Universal box delete mounting kit includes: 4-Z mounting brackets with grade 8 hardware, fuel fill bracket, mud flap mounting brackets

Standard Length* and Width with Approximate Weight in Pounds				
Body Length	7'6"	8'10"	9'6"	**12'
84" Wide Single Wheel	890	982	1025	N/A
96" Wide Dual Wheel	959	1059	1106	1276

\*Length includes bulkhead \* 12' body only available in Ca6 chassis model

## Contractor Deluxe Package

### Standard Specifications

Same as platform only, PLUS:

- 2-Top mount steel toolboxes, black, 1 per side. Also available in aluminum
- Bolt-on 7 ga. x 16" high rear corner posts with chain slots
- 12 Ga. x 16" high drop down tailgate with chain adjustment and spring-loaded latches
- Filler panel between toolbox and rear post
- Primed and painted black, (other colors available)



Shown with optional stainless steel toolbox lids

Standard Toolbox Sizes with Approximate Weight* in Pounds				
Body Length	7'6"	8'10"	9'6"	12'
Toolbox Size	72"	84"	96"	96"
Weight, Single Wheel Width	1270	1430	1521	N/A
Weight, Dual Wheel Width	1347	1515	1610	1843

\*Weight includes body

## Contractor Plus Package

### Standard Specifications

Same as platform only, PLUS:

- 12 Ga. x 16" high drop down liftout sides with spring loaded latches
- Bolt-on 7 ga. x 16" high rear corner posts with chain slots
- 12 Ga. x 16" high drop down tailgate with chain adjustment and spring loaded latches



Standard Length and Width with Approximate Weight* in Pounds				
Body Length	7'6"	8'10"	9'6"	12'
84" Wide Single Wheel	1155	1267	1321	N/A
96" Wide Dual Wheel	1245	1365	1422	1645

\*Weight includes body



# TRUCK BODIES

— EXPECT THE BEST —

## DB4000

## MASON/CONTRACTOR DUMP BODIES



### SHOWN EQUIPPED WITH

- 9' Mason Dump Body
- 36" Cab Shield
- Electric Hoist
- ICC Bar
- Pintle/Ball Combo Hitch
- Backup Alarm
- Trailer Connector
- Poly Wheel Fenders
- Aluminum Wrapped Side Boards
- Aluminum Underbody Toolboxes
- Manual Tarp Kit with Pull Bar
- Coal Chute

### 2-6 YARD DUMP BODIES

## INSTALL OPTIONS:

- Dump Hoist — Electric or PTO
- Rear Hitch Plate or Hitch Receiver
- Underbody Toolboxes
- Backup Alarms
- ICC Bar
- Brake Controllers
- Trailer Connectors
- Load Tarps — Manual or 12V





# Mason / Contractor Dump Bodies

## Standard Specifications & Options



*Shown with optional manual tarp*

### Tailgate Standard Features:

- Constructed with 10 ga. steel
- Fully boxed frame with two 12 ga. vertical posts
- Standard height — 6" higher than sides
- Fully double-acting with bottom release lever at driver's side, upper release is quick release screw pin style
- Standard with spreader chains and banjo eye chainholders on rear post

### Body Standard Features:

- 6" x 8.2 lb. structural channel long sills
- 3" structural channel cross members 12 o.c.
- 10 ga. steel floor formed with inner side wall
- 12 ga. outer wall sides with box formed top and V-formed outside wall with two vertical braces
- 18" cab shield, with brackets for side boards (various heights available)
- Rear posts 6" higher than sides with brackets for side boards
- LED dump body light kit includes marker and clearance lights and 1 stop/turn/tail-light per rear corner post with wiring harness. Meets [FMVSS108]
- Available with 12", 16", 20" or 24" sides
- Standard width 96" outside
- Inside width 86 $\frac{3}{4}$ "
- Primed and painted black (other colors available)

### Standard Length and Approximate Body Weight/Cubic Yards capacity\*

Length*	9'3"	10'6"	11'3"	12'6"
12" Sides	1765/2-3	1947/2-3	2005/3-4	2187/3-4
16" Sides	1825/3-4	2006/3-4	2076/4-5	2235/4-5
20" Sides	1922/4-5	2119/4-5	2193/5-6	2361/5-6
24" Sides	2114/5-6	2323/5-6	2398/6-7	2614/6-7

\*Tailgate adds 3" to overall length

## OPTIONS:

- 7" x 14" tailgate metering chute
- 36" or 48" cab shield
- Custom sizes and configurations available
- Dump Hoists — Electric or PTO
- Load tarps - manual or 12V



*Metering Chute*



*Screw Pin Top Release*



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

610.273.0157



# TRUCK BODIES

— EXPECT THE BEST —

## DB7000

## SUPER DUTY DUMP BODIES



**5-9 YARD  
DUMP BODIES**

### SHOWN EQUIPPED WITH

- 12' Super Duty Dump Body, 36" Sides
- Standard Cab Shield
- Tailgate Metering Chute
- Hydraulic Front Mount Telescopic Hoist
- 3/4" Pintle Hitch Plate
- Truck Step — 2 Rung Retractable Bolt-on
- ICC Bar
- Spreader Apron
- Underbody Toolbox — Steel 18x18x36
- 2 5/16" Combo Pintle Hitch
- Backup Alarm
- Brake Controller
- Trailer Connector
- Pull-Style Spring Return Tarp Kit

## INSTALL OPTIONS:

- Dump Hoist — Electric or PTO
- Rear Hitch Plate or Hitch Receiver
- Underbody Toolboxes
- Backup Alarms
- ICC Bar
- Brake Controllers
- Trailer Connectors
- Load Tarps — Manual or 12V





# Super Duty Dump Bodies

## Standard Specifications & Options

### Tailgate Standard Features:

- Constructed with 7 ga. steel
- Fully boxed frame with two 10 ga. horizontal and two 10 ga. vertical braces
- Standard height 10" higher than sides
- Top pivot is bolt-in pin style
- Bottom has dump latch with release lever at driver's side
- Standard with spreader chains and banjo eye chain holders on rear posts



### Body Standard Features:

- 7" x 9.8 lb. structural channel long sills
- 4" structural channel cross members 12 o.c.
- 7 ga. steel floor
- 7 ga. side walls with boxed tubing top rail and 10 ga. vertical braces
- 18" cab shield, with brackets for side boards (various heights available)
- Rear posts 10" higher than sides with brackets for side boards
- LED dump body light kit includes marker & clearance lights and one stop/turn/taillight per rear corner post with wiring harness. Meets (FMVSS108)
- Available with 24", 30", or 36" sides
- Standard width 96" outside
- Inside width 86½"
- Primed and painted black (other colors available)

Standard Length and Approximate Body Weight/Cubic Yards capacity*			
Length	10'	11'	12'
24" Sides	2805/5.33	2986/5.87	3179/6.40
30" Sides	2958/6.67	3152/7.34	3350/8.00
36" Sides	3082/8.00	3318/8.81	3528/9.61

\*Tailgate adds 3" to overall length

### OPTIONS:

- 12¾" x 13½" tailgate metering chute
- 36" or 48" cab shield
- Custom sizes
- Dump hoists — electric or PTO
- Load tarps — manual or 12V
- Spreader apron



Metering Chute  
and Spreader Apron



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

610.273.0157



# TRUCK BODIES

— EXPECT THE BEST —

**LBO-2000**

## BEAVER TAIL LANDSCAPE BODIES

The landscaper's rugged beaver tail and fold-down ramp let you drive equipment on and off your landscape truck



**SHOWN EQUIPPED WITH**

- 20' Landscaper Body with 4' Beaver Tail
- Fold Down Sides
- 2" Hitch Receiver
- Trailer Connector
- Backup Alarm

### INSTALL OPTIONS:

- Underbody Toolboxes
- Backup Alarm
- Brake Controller
- Trailer Connector





# LBO-2000 BEAVERTAIL LANDSCAPE BODIES

## Standard Specifications & Options

- 4" Structural channel long sills
- 3" Formed channel cross members — 12" centers
- ½" Diamond plate floor, including beaver tail
- 60" High 1½" steel tubing and mesh bulkhead with 18" side returns and built-in 24" high storage box with lockable drop down door
- Perimeter wall — 1½" steel tubing
- 18" High expanded metal permanent-mount sides
- 72" Long (92" wide) expanded metal spring-assisted loading ramp
- 4 D-rings on floor per side (more optional)
- Primed and painted black (other colors available)
- 4' rear beaver tail with 12" drop
- 6" LED oval stop/turn/tail and reverse lights with marker and clearance light kit. Meets (FMVSS108). Includes wiring harness.



Standard Overall Length and Approximate Weight in Pounds*				
Length	15'	16'	18'	20'
Weight	2283	2378	2577	2774

\*Length includes 4' rear beaver tail and front bulkhead

### OPTIONS:

- Custom designed to your specifications
- Mesh shelf under toolbox
- Fold down sides
- Shovel/Weed Eater rack
- 2" Hitch receiver with ICC bumper — includes D-rings and 7 pin RV-style trailer connector
- Split rear ramps
- Mesh on beaver tail for traction



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

**610.273.0157**



# TRUCK BODIES

— EXPECT THE BEST —

## LB3000

## Landscape/ Trash Bodies



**Heavy-Duty  
Dump Body for  
Hauling Mulch,  
Wood Chips,  
Trash, Etc.**

### SHOWN EQUIPPED WITH

- 9' Body with 36" Cab Shield
- 42" Sides with Curbside Door
- Electric Hoist
- 3/4" Pintle Hitch Plate
- Brake Controller
- ICC Bar
- 8 Ton Pintle Combo Hitch
- Backup Alarm
- Manual Tarp Kit

## INSTALL OPTIONS:

- Dump Hoist — Electric or PTO
- Rear Hitch Plate or Hitch Receiver
- Underbody Toolboxes
- Backup Alarms
- Brake Controller
- Trailer Connectors
- Load Tarps — Manual or 12V
- ICC Bars
- Lift gates





# LB3000 LANDSCAPE / TRASH BODIES

## Standard Specifications & Options

- ¾" LED marker and clearance light kit meets [FMVSS108] Includes wiring harness
- Primed and painted black, [other colors available]
- Standard width 95½" outside
- 89½" inside width
- Structural channel long sills — 7" x 9.8 lb. channel
- 3" 10 ga. formed channel cross-members 12" o.c.
- 4" channel rear rail
- 10 ga. smooth steel floor with formed side rails
- 12 ga. formed steel door with box tubing frame
- 42" or 48" high weld-on bulkhead and sides
- 10 ga. formed steel sides with box tubing top rail
- Barn door style tailgates with dual cam latch system
- 50" curbside door with dual cam latch system



*Shown with optional cab shield*

### Standard Outside Length and Approximate Weight in Pounds\*

Length	9'6"	11'6"	12'6"	14'6"	16'6"
Weight	2015	2295	2435	2737	3025

\*Rear hinge and latch system adds 2½" to overall length

\*Inside length approximately 5½" less than outside

### OPTIONS:

- Full rear 10' drop light apron, 2 oval stop/turn/tail lights and 1 reverse light per side plus marker, clearance and license plate lights with wiring harness
- Cab shield — Standard sizes, 18", 36", & 48"
- Custom heights on sides and bulkhead
- Custom width and length
- Dump through 24" bottom tailgate, and top barn doors [See picture]
- Rope/Tarp Hooks on Both Sides
- Dump hoist — electric or PTO
- Load tarps, manual or 12V
- ICC Bar
- Super Duty Landscape Body includes same specs as the Heavy Duty Landscape Body, except that it has a 7 ga. floor and 3" structural channel cross members and 7 ga. side walls
- 30" high rear barn doors [Recommended for use with optional chipper top]

See separate page for Chipper Top



*Optional dump tailgate and optional mesh on top doors*



**TRUCK BODIES**  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

610.273.0157



# TRUCK BODIES

— EXPECT THE BEST —

## REMOVABLE CHIPPER TOP

## DESIGNED TO BE USED WITH SH TRUCK BODIES LB3000 BODIES



*Shown on LB3000 body  
with 30" rear doors*

- Primed and painted black, [other colors available]
- Standard size is 30" high, 96" wide
- 89¼" inside width
- 3 x 1 tube ⅛" w on bottom of chipper top with ¾" pipes welded on, weld ¾" pipes on inside of top rail on body. Then latch in place with ¾" pins
- ¾" — #9 mesh screening in every panel
- 14 ga. sheet metal

**Standard Outside Length and Approximate Weight in Pounds\***

	8'6"	9'6"	10'6"	11'6"	12'6"	14'6"	16'6"
Length	8'6"	9'6"	10'6"	11'6"	12'6"	14'6"	16'6"
Weight	581	647	680	763	824	931	1032



## OPTIONS:

- 26" overhang to be used with backpack toolbox
- Top ladder rack with access steps and grab handle
- Custom width and length
- Inside rubberized coating



TRUCK BODIES  
— EXPECT THE BEST —

[www.shtruckbodies.com](http://www.shtruckbodies.com)

610.273.0157



**A LEADER IN SPECIALTY CUSTOM TRUCK BODY FABRICATION**



**TRUCK BODIES**  
— EXPECT THE BEST —

# CUSTOM TRUCK BODIES

## THIS BODY FEATURES CUSTOM:

- Back pack tool box with built on cab shield
- Dump body style tailgate
- Solid wood stake racks
- Tarp shield



- Custom top-mounted tool boxes
- Ladder rack
- Broom & shovel storage pockets
- Spare tire holder
- Lift out tailgate



- Custom E-track on bulkhead
- Triple screen window
- Walk ramp with under body storage



- Custom center side door on driver's side
- Access ladder

**CUSTOM FEATURES—WE OFFER THESE OPTIONS & MANY MORE, JUST ASK!**



# C U S T O M





# G A L L E R Y



**A LEADER IN SPECIALTY CUSTOM TRUCK BODY FABRICATION**



## AT SH TRUCK BODIES

we do not think giving our customer what he wants is asking too much.

### WE OFFER:

- Custom sizes, options & configurations
- Shorter than the standard industry lead times.
- Full delivery service
- Some common standard bodies in stock
- State-of-the-art paint facility capable of custom colors



**TRUCK BODIES**  
— EXPECT THE BEST —

16 Westbrook Drive  
Honey Brook, PA 19344

PHONE  
**610.273.0157**

FAX  
**610.273.3169**

[www.shtruckbodies.com](http://www.shtruckbodies.com)

A DIVISION OF  **SWAMPY HOLLOW**  
MANUFACTURING